

## A

ability effects in wheat breeding. Exploitation of heterosis and combining.....235

ability studies in rice through 6 X 6 diallel cross analysis. Combining.....591

acid as foliar application on earliness and nutrients uptake in cotton. Effect of heat stress and benzoic.....15

acid supplementations in soybean meal based diet improves the scale mineralization in *Labeo rohita* juveniles. Phytase and citric.....369

adoption of recommended technologies of cotton production among farmers of the irrigated Punjab . Assessment of the.....693

adult female *Phenacoccus solenopsis* (Hemiptera: Pseudococcidae). Impact of different formulations of insect growth regulators on mortality and natality of.....651

age and nitrogen rates affect hybrid rice (*Oryza sativa* L.) productivity. Seedling.....469

agricultural activities and household food security: a case study in Faisalabad district. Role of rural women in.....585

agricultural lands in Punjab, Pakistan. Impact of variable climatic patterns on the values of.....679

agricultural production system of Punjab is vulnerable to climate change: impact assessment. Current.....125

agricultural system: potential impacts and soil management strategies - a review. Climate change and.....501

allocation and wage determination in Pakistan. Household-decisions of time.....565

*Amrasca devastans* Dist and its predator (*Chrysoperla carnea* Steph.). Toxicity of some insecticides against cotton jassid.....311

analysis in wheat production in Federally Administrated Tribal Area, Pakistan. Cost return.....417

analysis. Wheat production trends in Pakistan- a statistical.....115

Antioxidant potential of natural fruit flavored yogurt- A review.....85

apple. Comparative efficacy of biocontrol agent *Bacillus subtilis* and fungicides against powdery mildew of.....75

applicator. Development and laboratory testing of maize planter-cum-liquid fertilizer.....337

arbuscular mycorrhiza and dark septate endophytes in some grasses under arid climatic conditions. Seasonality of.....601

arid climatic conditions. Seasonality of arbuscular mycorrhiza and dark septate endophytes in some grasses under.....601

arid environment. Effect of irrigation application on soil and land productivity of wheat under semi.....1

assimilation rate of wheat (*Triticum aestivum* L.). Moisture stress and seeding densities effect on phenology, growth and net.....41

association among *Brassica campestris* L. genotypes. Character.....249

association with cowpea. Forage yield and quality of newly evolved Chinese sweet sorghum genotype grown alone and in.....619

## B

*Bacillus subtilis* and fungicides against powdery mildew of apple. Comparative efficacy of biocontrol agent.....75

behaviour of some tree species as irrigated by waste water. Growth.....353

benzoic acid as foliar application on earliness and nutrients uptake in cotton. Effect of heat stress and.....15

biochar an *Stenotrophomonas maltophilia* (SB-16) on soil properties and growth of sweet corn. Effects of.....485

- biocontrol agent *Bacillus subtilis* and fungicides against powdery mildew of apple. Comparative efficacy of.....75
- Bioenergy prospective and efficient utilization pattern for rural energy supply in district Pakpattan.....101
- boron foliar application under water stress conditions. Response of maize (*Zea mays* L.) to.....303
- Brassica campestris* L. genotypes. Character association among.....249
- breeding. Exploitation of heterosis and combining ability effects in wheat.....235
- C**
- Capparis decidua* (FORSK.) with special reference to Cholistan desert, Pakistan. Ethnobotanical studies of.....611
- cauliflower growers- evidence from peri-urban areas of Faisalabad, Pakistan. Insight into the information gap of.....427
- change and agricultural system: potential impacts and soil management strategies - A review. Climate.....501
- change on rural livelihoods - a case of Hazara Region of Pakistan. Impact of climate.....441
- change: impact assessment. Current agricultural production system of Punjab is vulnerable to climate.....125
- Character association among *Brassica campestris* L. genotypes.....249
- chickpea (*Cicer arietinum* L.) through exogenous application of nutrients. Mitigating the terminal drought stress in.....291
- chickpea production and empirical investigation of its yield determinants in low intensity zone of Punjab, Pakistan. Economics of.....409
- children due to low income of parents: a case study of Faisalabad district. Malnutrition of rural.....225
- Chinese sweet sorghum genotype grown alone and in association with cowpea. Forage yield and quality of newly evolved.....619
- Cholistan desert, Pakistan. Ethnobotanical studies of *Capparis decidua* (FORSK.) with special reference to.....611
- Chrysoperla carnea* Steph. Toxicity of some insecticides against cotton jassid (*Amrasca devastans* Dist.) and its predator.....311
- Cicer arietinum* L. through exogenous application of nutrients. Mitigating the terminal drought stress in chickpea.....291
- citric acid supplementations in soybean meal based diet improves the scale mineralization in *Labeo rohita* juveniles. Phytase and.....369
- CLCuV for seed cotton yield and fibre traits. Comparative evaluation of some novel vs commercial cotton genotypes against insect pest complex and.....323
- Climate change and agricultural system: potential impacts and soil management strategies - A review.....501
- climate change on rural livelihoods - a case of Hazara Region of Pakistan. Impact of.....441
- climate change: impact assessment. Current agricultural production system of Punjab is vulnerable to.....125
- climatic conditions. Seasonality of arbuscular mycorrhiza and dark septate endophytes in some grasses under arid.....601
- climatic patterns on the values of agricultural lands in Punjab, Pakistan. Impact of variable.....679
- combining ability effects in wheat breeding. Exploitation of heterosis and.....235
- Combining ability studies in rice through 6 X 6 diallel cross analysis.....591

- commercial cotton genotypes against insect pest complex and CLCuV for seed cotton yield and fibre traits. Comparative evaluation of some novel vs.....323
- comparative economics of fresh and ratoon sugarcane production across selected districts of central Punjab.....557
- comparative evaluation of some novel vs commercial cotton genotypes against insect pest complex and CLCuV for seed cotton yield and fibre traits.....323
- composting of manures - A review. Nutrients enrichment and heavy metal removal during.....639
- constraints to livestock production in the Punjab, Pakistan: a case study of district Sargodha.....213
- corn. Effects of biochar an *Stenotrophomonas maltophilia* (SB-16) on soil properties and growth of sweet.....485
- Cost return analysis in wheat production in Federally Administrated Tribal Area, Pakistan.....417
- cotton genotypes against insect pest complex and CLCuV for seed cotton yield and fibre traits. Comparative evaluation of some novel vs commercial.....323
- cotton initiative in the Punjab; the impact on insect/pest risk management. Analysis of sustainable.....197
- cotton jassid (*Amrasca devastans* Dist.) and its predator (*Chrysoperla carnea* Steph.). Toxicity of some insecticides against.....311
- cotton production among farmers of the irrigated Punjab . Assessment of the adoption of recommended technologies of.....693
- cotton yield and fibre traits. Comparative evaluation of some novel vs commercial cotton genotypes against insect pest complex and CLCuV for seed.....323
- cotton. Effect of heat stress and benzoic acid as foliar application on earliness and nutrients uptake in.....15
- cowpea. Forage yield and quality of newly evolved Chinese sweet sorghum genotype grown alone and in association with.....619
- cross analysis. Combining ability studies in rice through 6 X 6 diallel.....591
- Current agricultural production system of Punjab is vulnerable to climate change: impact assessment.....125
- Cyperus esculentus* var. Sativa to planting material size and moisture stress. Productivity response of tiger nut.....185
- D**
- dairy farm size matter in technical efficiency - a case of dairy producers from district Layyah, Punjab. Does.....173
- Dalbergia sisso* in tehsil Khushab. Economic rotation of.....537
- dark septate endophytes in some grasses under arid climatic conditions. Seasonality of arbuscular mycorrhiza and.....601
- date powder and its utilization in muffins to enhance nutritional value. Development of free flowing.....671
- decisions of time allocation and wage determination in Pakistan. Household.....565
- densities effect on phenology, growth and net assimilation rate of wheat (*Triticum aestivum* L.). Moisture stress and seeding.....41
- desert, Pakistan. Ethnobotanical studies of *Capparis decidua* (FORSK.) with special reference to Cholistan.....611
- determinants in low intensity zone of Punjab, Pakistan. Economics of chickpea production and empirical investigation of its yield.....409
- Determinants influencing edible oil import in Pakistan.....137

- Determinants of various factors for wheat production.....379
- determination in Pakistan. Household-decisions of time allocation and wage.....565
- Development and laboratory testing of maize planter-cum-liquid fertilizer applicator.....337
- Development of free flowing date powder and its utilization in muffins to enhance nutritional value.....671
- diallel cross analysis. Combining ability studies in rice through 6 X 6.....591
- diet improves the scale mineralization in *Labeo rohita* juveniles. Phytase and citric acid supplementations in soybean meal based.....369
- double haploid wheat plant production through wheat x maize cross - A review. Steps and factors in.....267
- drought conditions. Genetic analysis of dry matter partitioning in wheat (*Triticum aestivum* L.) under.....453
- drought stress in chickpea (*Cicer arietinum* L.) through exogenous application of nutrients. Mitigating the terminal.....291
- dry matter partitioning in wheat (*Triticum aestivum* L.) under drought conditions. Genetic analysis of.....453
- E**
- earliness and nutrients uptake in cotton. Effect of heat stress and benzoic acid as foliar application on.....15
- Economic rotation of *Dalbergia sisso* in tehsil Khushab.....537
- Economics of chickpea production and empirical investigation of its yield determinants in low intensity zone of Punjab, Pakistan.....409
- economics of fresh and ratoon sugarcane production across selected districts of central Punjab. Comparative.....557
- edible oil import in Pakistan. Determinants influencing.....137
- efficacy of biocontrol agent *Bacillus subtilis* and fungicides against powdery mildew of apple. Comparative.....75
- efficiency of sugarcane farmers in Punjab, Pakistan. Measuring technical and environmental.....387
- efficiency - a case of dairy producers from district Layyah, Punjab. Does dairy farm size matter in technical.....173
- empirical investigation of its yield determinants in low intensity zone of Punjab, Pakistan. Economics of chickpea production and.....409
- endophytes in some grasses under arid climatic conditions. Seasonality of arbuscular mycorrhiza and dark septate.....601
- energy supply in district Pakpattan. Bioenergy prospective and efficient utilization pattern for rural.....101
- enrichment and heavy metal removal during composting of manures - A review. Nutrients.....639
- environment. Effect of irrigation application on soil and land productivity of wheat under semi-arid .....1
- environmental efficiency of sugarcane farmers in Punjab, Pakistan. Measuring technical and.....387
- Ethnobotanical studies of *Capparis decidua* (FORSK.) with special reference to Cholistan desert, Pakistan.....611
- evaluation of upland rice varieties in South Western areas of Ethiopia. Performance.....279
- exogenous application of nutrients. Mitigating the terminal drought stress in chickpea (*Cicer arietinum* L.) through.....291
- Exploitation of heterosis and combining ability effects in wheat breeding.....235

## F

- factors for wheat production. Determinants of various.....379
- factors in double haploid wheat plant production through wheat × maize cross - A review. Steps and.....267
- factors in sugarcane production in selected area of Khyber Pakhtunkhwa, Pakistan. Role of various.....577
- farm size matter in technical efficiency - a case of dairy producers from district Layyah, Punjab. Does dairy.....173
- farmers in Punjab, Pakistan. Measuring technical and environmental efficiency of sugarcane.....387
- farmers of the irrigated Punjab . Assessment of the adoption of recommended technologies of cotton production among.....693
- female *Phenacoccus solenopsis* (Hemiptera: Pseudococcidae). Impact of different formulations of insect growth regulators on mortality and natality of adult.....651
- fertilizer applicator. Development and laboratory testing of maize planter-cum-liquid.....337
- fibre traits. Comparative evaluation of some novel vs commercial cotton genotypes against insect pest complex and CLCuV for seed cotton yield and.....323
- flavored yogurt - a review. Antioxidant potential of natural fruit.....85
- flowing date powder and its utilization in muffins to enhance nutritional value. Development of free.....671
- foliar application on earliness and nutrients uptake in cotton. Effect of heat stress and benzoic acid as.....15
- foliar application under water stress conditions. Response of maize (*Zea mays* L.) to boron.....303
- food security: a case study in Faisalabad district. Role of rural women in agricultural activities and household.....585
- Forage yield and quality of newly evolved Chinese sweet sorghum genotype grown alone and in association with cowpea.....619
- formulations of insect growth regulators on mortality and natality of adult female *Phenacoccus solenopsis* (Hemiptera: Pseudococcidae). Impact of different.....651
- free flowing date powder and its utilization in muffins to enhance nutritional value. Development of.....671
- fresh and ratoon sugarcane production across selected districts of central Punjab. Comparative economics of.....557
- fruits and vegetables. Law of one price: an investigation into market integration for selected.....151
- fungicides against powdery mildew of apple. Comparative efficacy of biocontrol agent *Bacillus subtilis* and.....75
- fungicides. Evaluation of wheat (*Triticum aestivum* L.) varieties/lines against loose smut (*Ustilago tritici*) and its management by seed dressing.....517
- fusarium wilt of tomato. Potential of rhizospheric *Pseudomonas* strains to manage.....525

## G

- gap of cauliflower growers- evidence from peri-urban areas of Faisalabad, Pakistan. Insight into the information.....427
- Genetic analysis of dry matter partitioning in wheat (*Triticum aestivum* L.) under drought conditions.....453
- Genetic potential of tomato cultivars against late blight disease caused by *Phytophthora infestans*.....65
- Genetics of some physico-morphic traits of hexaploid wheat genotypes under rainfed conditions.....463

- genotypes against insect pest complex and CLCuV for seed cotton yield and fibre traits. Comparative evaluation of some novel vs commercial cotton.....323
- genotypes to *Sitophilus zeamais* (Motsch) (Coleoptera: Curculionidae) under laboratory condition. Evaluation of quantitative losses of maize.....55
- genotypes under rainfed conditions. Genetics of some physico-morphic traits of hexaploid wheat .....463
- genotypes. Character association among *Brassica campestris* L .....249
- Genotypic differences in rice cultivars for Lead (Pb) tolerance in salt affected soil.....627
- grasses under arid climatic conditions. Seasonality of arbuscular mycorrhiza and dark septate endophytes in some.....601
- growers - evidence from peri-urban areas of Faisalabad, Pakistan. Insight into the information gap of cauliflower.....427
- growth and net assimilation rate of wheat (*Triticum aestivum* L.). Moisture stress and seeding densities effect on phenology.....41
- Growth behaviour of some tree species as irrigated by waste water.....353
- growth of sweet corn. Effects of biochar an *Stenotrophomonas maltophilia* (SB-16) on soil properties and.....485
- growth regulators on mortality and natality of adult female *Phenacoccus solenopsis* (Hemiptera: Pseudococcidae). Impact of different formulations of insect.....651
- H**
- haploid wheat plant production through wheat × maize cross - A review. Steps and factors in double.....267
- heat stress and benzoic acid as foliar application on earliness and nutrients uptake in cotton. Effect of.....15
- heavy metal removal during composting of manures - A review. Nutrients enrichment and.....639
- heterosis and combining ability effects in wheat breeding. Exploitation of.....235
- hexaploid wheat genotypes under rainfed conditions. Genetics of some physico-morphic traits of.....463
- household food security: a case study in Faisalabad district. Role of rural women in agricultural activities and.....585
- Household-decisions of time allocation and wage determination in Pakistan.....565
- hybrid rice (*Oryza sativa* L.) productivity. Seedling age and nitrogen rates affect.....469
- I**
- impact assessment. Current agricultural production system of Punjab is vulnerable to climate change.....125
- impact on insect/pest risk management. Analysis of sustainable cotton initiative in the Punjab; the.....197
- import in Pakistan. Determinants influencing edible oil.....137
- income of parents: a case study of Faisalabad district. Malnutrition of rural children due to low.....225
- information gap of cauliflower growers - evidence from peri-urban areas of Faisalabad, Pakistan. Insight into the.....427
- insect growth regulators on mortality and natality of adult female *Phenacoccus solenopsis* (Hemiptera: Pseudococcidae). Impact of different formulations of.....651
- insect pest complex and CLCuV for seed cotton yield and fibre traits. Comparative evaluation of some novel vs commercial cotton genotypes against.....323
- insect/pest risk management. Analysis of sustainable cotton initiative in the Punjab; the impact on.....197

insecticides against cotton jassid (*Amrasca devastans* dist.) and its predator (*Chrysoperla carnea* Steph.). Toxicity of some.....311

Insight into the information gap of cauliflower growers-evidence from peri-urban areas of Faisalabad, Pakistan.....427

integration for selected fruits and vegetables. Law of one price: an investigation into market.....151

integration of wheat in Pakistan. Market.....545

intensity zone of Punjab, Pakistan. Economics of chickpea production and empirical investigation of its yield determinants in low.....409

investigation of its yield determinants in low intensity zone of Punjab, Pakistan. Economics of chickpea production and empirical.....409

irrigated by waste water. Growth behaviour of some tree species as.....353

irrigated Punjab. Assessment of the adoption of recommended technologies of cotton production among farmers of the.....693

irrigation application on soil and land productivity of wheat under semi-arid environment. Effect of.....1

## J

jassid (*Amrasca devastans* dist.) and its predator (*Chrysoperla carnea* Steph.). Toxicity of some insecticides against cotton.....311

juveniles. Phytase and citric acid supplementations in soybean meal based diet improves the scale mineralization in *Labeo rohita*.....369

## K

Khyber Pakhtunkhwa, Pakistan. Role of various factors in sugarcane production in selected area of .....577

## L

*Labeo rohita* juveniles. Phytase and citric acid supplementations in soybean meal based diet improves the scale mineralization in.....369

laboratory testing of maize planter-cum-liquid fertilizer applicator. Development and.....337

land productivity of wheat under semi-arid environment. Effect of irrigation application on soil and.....1

lands in Punjab, Pakistan. Impact of variable climatic patterns on the values of agricultural.....679

late blight disease caused by *Phytophthora infestans*. Genetic potential of tomato cultivars against.....65

late sown wheat. Seed priming with thiourea improves the performance of.....29

Law of one price: an investigation into market integration for selected fruits and vegetables.....151

livelihoods - a case of Hazara Region of Pakistan. Impact of climate change on rural.....441

livestock production in the Punjab, Pakistan: a case study of district Sargodha. Constraints to.....213

loose smut (*Ustilago tritici*) and its management by seed dressing fungicides. Evaluation of wheat (*Triticum aestivum* L.) varieties/lines against.....517

losses of maize genotypes to *Sitophilus zeamais* (Motsch) (Coleoptera: Curculionidae) under laboratory condition. Evaluation of quantitative.....55

low income of parents: a case study of Faisalabad district. Malnutrition of rural children due to.....225

low intensity zone of Punjab, Pakistan. Economics of chickpea production and empirical investigation of its yield determinants in.....409

## M

maize (*Zea mays* L.) to boron foliar application under water stress conditions. Response of.....303

- maize cross - A review. Steps and factors in double haploid wheat plant production through wheat × .....267
- maize genotypes to *Sitophilus zeamais* (Motsch) (Coleoptera: Curculionidae) under laboratory condition. Evaluation of quantitative losses of.....55
- maize planter-cum-liquid fertilizer applicator. Development and laboratory testing of.....337
- Malnutrition of rural children due to low income of parents: a case study of Faisalabad district.....225
- management by seed dressing fungicides. Evaluation of wheat (*Triticum aestivum* L.) varieties/lines against loose smut (*Ustilago tritici*) and its.....517
- management strategies - A review. Climate change and agricultural system: potential impacts and soil.....501
- management. Analysis of sustainable cotton initiative in the Punjab; manures - A review. Nutrients enrichment and heavy metal removal during composting of.....639
- market integration for selected fruits and vegetables. Law of one price: an investigation into.....151
- market integration of wheat in Pakistan.....545
- meal based diet improves the scale mineralization in *Labeo rohita* juveniles. Phytase and citric acid supplementations in soybean.....369
- Measuring technical and environmental efficiency of sugarcane farmers in Punjab, Pakistan.....387
- metal removal during composting of manures - A review. Nutrients enrichment and heavy.....639
- mildew of apple. Comparative efficacy of biocontrol agent *Bacillus subtilis* and fungicides against powdery.....75
- mineralization in *Labeo rohita* juveniles. Phytase and citric acid supplementations in soybean meal based diet improves the scale.....369
- mites, *Tetranychus urticae* (Acari: Tetranychidae). Prey stage preference and predatory Potential of *Typhlodromus divergentis* (Acari: Phytoseiidae) against two spotted spider.....661
- Moisture stress and seeding densities effect on phenology, growth and net assimilation rate of wheat (*Triticum aestivum* L.) .....41
- moisture stress. Productivity response of tiger nut (*Cyperus esculentus* var. *Sativa*) to planting material size and.....185
- mortality and natality of adult female *Phenacoccus solenopsis* (Hemiptera: Pseudococcidae). Impact of different formulations of insect growth regulators on.....651
- muffins to enhance nutritional value. Development of free flowing date powder and its utilization in.....671
- N**
- natality of adult female *Phenacoccus solenopsis* (Hemiptera: Pseudococcidae). Impact of different formulations of insect growth regulators on mortality and.....651
- natural fruit flavored yogurt- a review. Antioxidant potential of.....85
- needs of rural youth in Punjab, Pakistan. Self-preceived.....699
- nitrogen rates affect hybrid rice (*Oryza sativa* L.) productivity. Seedling age and.....469
- novel vs commercial cotton genotypes against insect pest complex and CLCuV for seed cotton yield and fibre traits. Comparative evaluation of some.....323
- Nutrients enrichment and heavy metal removal during composting of manures – A review.....639
- nutrients uptake in cotton. Effect of heat stress and benzoic acid as foliar application on earliness and.....15
- nutrients. Mitigating the terminal drought stress in chickpea (*Cicer arietinum* L.) through exogenous application of.....291

nutritional value. Development of free flowing date powder and its utilization in muffins to enhance.....671

## O

oil import in Pakistan. Determinants influencing edible.....137

*Oryza sativa* L. productivity. Seedling age and nitrogen rates affect hybrid rice.....469

## P

parents: a case study of Faisalabad district. Malnutrition of rural children due to low income of.....225

partitioning in wheat (*Triticum aestivum* L.) under drought conditions. Genetic analysis of dry matter.....453

pattern for rural energy supply in district Pakpattan. Bioenergy prospective and efficient utilization.....101

patterns on the values of agricultural lands in Punjab, Pakistan. Impact of variable climatic.....679

Pb tolerance in salt affected soil. Genotypic differences in rice cultivars for Lead.....627

peri-urban areas of Faisalabad, Pakistan. Insight into the information gap of cauliflower growers- evidence from.....427

pest complex and CLCuV for seed cotton yield and fibre traits. Comparative evaluation of some novel vs commercial cotton genotypes against insect.....323

pest risk management. Analysis of sustainable cotton initiative in the Punjab; the impact on insect.....197

*Phenacoccus solenopsis* (Hemiptera: Pseudococcidae). Impact of different formulations of insect growth regulators on mortality and natality of adult female.....651

phenology, growth and net assimilation rate of wheat (*Triticum aestivum* L.). Moisture stress and seeding densities effect on.....41

physico-morphic traits of hexaploid wheat genotypes under rainfed conditions. Genetics of some.....463

Phytase and citric acid supplementations in soybean meal based diet improves the scale mineralization in *Labeo rohita* juveniles.....369

*Phytophthora infestans*. Genetic potential of tomato cultivars against late blight disease caused by.....65

planter-cum-liquid fertilizer applicator. Development and laboratory testing of maize.....337

planting material size and moisture stress. Productivity response of tiger nut (*Cyperus esculentus* var. *Sativa*) to.....185

potential impacts and soil management strategies - A review. Climate change and agricultural system.....501

Potential of rhizospheric *Pseudomonas* strains to manage Fusarium wilt of tomato.....525

potential of tomato cultivars against late blight disease caused by *Phytophthora infestans*. Genetic.....65

powder and its utilization in muffins to enhance nutritional value. Development of free flowing date.....671

powdery mildew of apple. Comparative efficacy of biocontrol agent *Bacillus subtilis* and fungicides against.....75

perceived needs of rural youth in Punjab, Pakistan. Self.....699

predator (*Chrysoperla carnea* Steph.). Toxicity of some insecticides against cotton jassid (*Amrasca devastans* dist.) and its.....311

predatory potential of *Typhlodromus divergentis* (Acari: Phytoseiidae) against two spotted spider mites, *Tetranychus urticae* (Acari: Tetranychidae). Prey stage preference and.....661

preference and predatory potential of *Typhlodromus divergentis* (Acari: Phytoseiidae) against two spotted spider mites, *Tetranychus urticae* (Acari: Tetranychidae). Prey stage.....661

- Prey stage preference and predatory potential of *Typhlodromus divergentis* (Acari: Phytoseiidae) against two spotted spider mites, *Tetranychus urticae* (Acari: Tetranychidae) .....661
- price: an investigation into market integration for selected fruits and vegetables. Law of one.....151
- priming with thiourea improves the performance of late sown wheat. Seed.....29
- producers from district Layyah, Punjab. Does dairy farm size matter in technical efficiency - a case of dairy.....173
- production across selected districts of central Punjab. Comparative economics of fresh and ratoon sugarcane.....557
- production among farmers of the irrigated Punjab. Assessment of the adoption of recommended technologies of cotton.....693
- production and empirical investigation of its yield determinants in low intensity zone of Punjab, Pakistan. Economics of chickpea.....409
- production in Federally Administrated Tribal Area, Pakistan. Cost return analysis in wheat.....417
- production in selected area of Khyber Pakhtunkhwa, Pakistan. Role of various factors in sugarcane.....577
- production in the Punjab, Pakistan: A case study of district Sargodha. Constraints to livestock.....213
- production system of Punjab is vulnerable to climate change: impact assessment. Current agricultural.....125
- production through wheat × maize cross - a review. Steps and factors in double haploid wheat plant.....267
- production trends in Pakistan- a statistical analysis. Wheat.....115
- production. Determinants of various factors for wheat.....379
- Productivity response of tiger nut (*Cyperus esculentus* var. *Sativa*) to planting material size and moisture stress.....185
- productivity. Seedling age and nitrogen rates affect hybrid rice (*Oryza sativa* L.).....469
- prospective and efficient utilization pattern for rural energy supply in district Pakpattan. Bioenergy.....101
- Q**
- quality of newly evolved Chinese sweet sorghum genotype grown alone and in association with cowpea. Forage yield and.....619
- quantitative losses of maize genotypes to *Sitophilus zeamais* (Motsch) (Coleoptera: Curculionidae) under laboratory condition. Evaluation of.....55
- R**
- rained conditions. Genetics of some physico-morphic traits of hexaploid wheat genotypes under.....463
- ratoon sugarcane production across selected districts of central Punjab. Comparative economics of fresh and.....557
- recommended technologies of cotton production among farmers of the irrigated Punjab . Assessment of the adoption of.....693
- regulators on mortality and natality of adult female *Phenacoccus solenopsis* (Hemiptera: Pseudococcidae). Impact of different formulations of insect growth.....651
- removal during composting of manures - A review. Nutrients enrichment and heavy metal.....639
- return analysis in wheat production in Federally Administrated Tribal Area, Pakistan. Cost.....417
- review. Antioxidant potential of natural fruit flavored yogurt - A.....85
- review. Climate change and agricultural system: potential impacts and soil management strategies - A.....501

- review. Nutrients enrichment and heavy metal removal during composting of manures - A .....639
- review. Steps and factors in double haploid wheat plant production through wheat × maize cross - A.....267
- rhizospheric *Pseudomonas* strains to manage Fusarium wilt of tomato. Potential of.....525
- rice (*Oryza sativa* L.) productivity. Seedling age and nitrogen rates affect hybrid.....469
- rice cultivars for Lead (Pb) tolerance in salt affected soil. Genotypic differences in.....627
- rice through 6 X 6 diallel cross analysis. Combining ability studies in.....591
- rice varieties in South Western areas of Ethiopia. Performance evaluation of upland.....279
- risk management. Analysis of sustainable cotton initiative in the Punjab; the impact on insect/pest.....197
- rotation of *Dalbergia sisso* in tehsil Khushab. Economic.....537
- rural children due to low income of parents: a case study of Faisalabad district. Malnutrition of.....225
- rural energy supply in district Pakpattan. Bioenergy prospective and efficient utilization pattern for.....101
- rural livelihoods - a case of Hazara Region of Pakistan. Impact of climate change on.....441
- rural women in agricultural activities and household food security: a case study in Faisalabad district. Role of.....585
- rural youth in Punjab, Pakistan. Self-perceived needs of.....699
- S**
- salt affected soil. Genotypic differences in rice cultivars for Lead (Pb) tolerance in.....627
- scale mineralization in *Labeo rohita* juveniles. Phytase and citric acid supplementations in soybean meal based diet improves the.....369
- Seasonality of arbuscular mycorrhiza and dark septate endophytes in some grasses under arid climatic conditions.....601
- security: a case study in Faisalabad district. Role of rural women in agricultural activities and household food.....585
- seed cotton yield and fibre traits. Comparative evaluation of some novel vs commercial cotton genotypes against insect pest complex and CLCuV for.....323
- seed dressing fungicides. Evaluation of wheat (*Triticum aestivum* L.) varieties/lines against loose smut (*Ustilago tritici*) and its management by.....517
- Seed priming with thiourea improves the performance of late sown wheat.....29
- seeding densities effect on phenology, growth and net assimilation rate of wheat (*Triticum aestivum* L.). Moisture stress and.....41
- seedling age and nitrogen rates affect hybrid rice (*Oryza sativa* L.) productivity.....469
- Self-perceived needs of rural youth in Punjab, Pakistan.....699
- Sitophilus zeamais* (Motsch) (Coleoptera: Curculionidae) under laboratory condition. Evaluation of quantitative losses of maize genotypes to.....55
- soil and land productivity of wheat under semi-arid environment. Effect of irrigation application on.....1
- soil management strategies - A review. Climate change and agricultural system: potential impacts and.....501
- soil properties and growth of sweet corn. Effects of biochar an *Stenotrophomonas maltophilia* (SB-16) on.....485
- soil. Genotypic differences in rice cultivars for Lead (Pb) tolerance in salt affected.....627
- sorghum genotype grown alone and in association with cowpea. Forage yield and quality of newly evolved Chinese sweet.....619

- soybean meal based diet improves the scale mineralization in *Labeo rohita* juveniles. Phytase and citric acid supplementations in.....369
- species as irrigated by waste water. Growth behaviour of some tree.....353
- spidermites, *Tetranychus urticae* (Acari: Tetranychidae). Prey stage preference and predatory Potential of *Typhlodromus divergentis* (Acari: Phytoseiidae) against two spotted.....661
- spotted spider mites, *Tetranychus urticae* (Acari: Tetranychidae). Prey stage preference and predatory Potential of *Typhlodromus divergentis* (Acari: Phytoseiidae) against two.....661
- stage preference and predatory potential of *Typhlodromus divergentis* (Acari: Phytoseiidae) against two spotted spider mites, *Tetranychus urticae* (Acari: Tetranychidae). Prey.....661
- statistical analysis. Wheat production trends in Pakistan - a.....115
- Stenotrophomonas maltophilia* (SB-16) on soil properties and growth of sweet corn. Effects of biochar an.....485
- Steps and factors in double haploid wheat plant production through wheat × maize cross - A review.....267
- sugarcane farmers in Punjab, Pakistan. Measuring technical and environmental efficiency of.....387
- sugarcane production across selected districts of central Punjab. Comparative economics of fresh and ratoon.....557
- sugarcane production in selected area of Khyber Pakhtunkhwa, Pakistan. Role of various factors in.....577
- sustainable cotton initiative in the Punjab; the impact on insect/pest risk management. Analysis of.....197
- sweet corn. Effects of biochar an *Stenotrophomonas maltophilia* (SB-16) on soil properties and growth of.....485
- sweet sorghum genotype grown alone and in association with cowpea. Forage yield and quality of newly evolved Chinese.....619
- system of Punjab is vulnerable to climate change: impact assessment. Current agricultural production.....125
- T**
- technical and environmental efficiency of sugarcane farmers in Punjab, Pakistan. Measuring.....387
- technical efficiency - a case of dairy producers from district Layyah, Punjab. Does dairy farm size matter in.....173
- technologies of cotton production among farmers of the irrigated Punjab . Assessment of the adoption of recommended.....693
- terminal drought stress in chickpea (*Cicer arietinum* L.) through exogenous application of nutrients. Mitigating the.....291
- testing of maize planter-cum-liquid fertilizer applicator. Development and laboratory.....337
- Tetranychus urticae* (Acari: Tetranychidae). Prey stage preference and predatory Potential of *Typhlodromus divergentis* (Acari: Phytoseiidae) against two spotted spider mites.....661
- thiourea improves the performance of late sown wheat. Seed priming with.....29
- tiger nut (*Cyperus esculentus* var. Sativa) to planting material size and moisture stress. Productivity response of.....185
- time allocation and wage determination in Pakistan. Household-decisions of.....565
- tolerance in salt affected soil. Genotypic differences in rice cultivars for Lead (Pb) .....627
- tomato cultivars against late blight disease caused by *Phytophthora infestans*. Genetic potential of.....65
- tomato. Potential of rhizospheric *Pseudomonas* strains to manage Fusarium wilt of.....525

Toxicity of some insecticides against cotton jassid (*Amrasca devastans* dist.) and its predator (*Chrysoperla carnea* Steph.) .....311

tree species as irrigated by waste water. Growth behaviour of some.....353

trends in Pakistan - a statistical analysis. Wheat production.....115

Tribal Area, Pakistan. Cost return analysis in wheat production in Federally Administrated.....417

*Triticum aestivum* L. Moisture stress and seeding densities effect on phenology, growth and net assimilation rate of wheat.....41

*Triticum aestivum* L. under drought conditions. Genetic analysis of dry matter partitioning in wheat.....453

*Triticum aestivum* L. varieties/lines against loose smut (*Ustilago tritici*) and its management by seed dressing fungicides. Evaluation of wheat.....517

*Typhlodromus divergentis* (Acari: Phytoseiidae) against two spotted spider mites, *Tetranychus urticae* (Acari: Tetranychidae). Prey stage preference and predatory Potential of.....661

## U

upland rice varieties in South Western areas of Ethiopia. Performance evaluation of.....279

urban areas of Faisalabad, Pakistan. Insight into the information gap of cauliflower growers- evidence from peri.....427

*Ustilago tritici* and its management by seed dressing fungicides. Evaluation of wheat (*Triticum aestivum* L.) varieties/lines against loose smut.....517

utilization in muffins to enhance nutritional value. Development of free flowing date powder and its.....671

utilization pattern for rural energy supply in district Pakpattan. Bioenergy prospective and efficient.....101

## V

value. Development of free flowing date powder and its utilization in muffins to enhance nutritional .....671

vegetables. Law of one price: an investigation into market integration for selected fruits and.....151

## W

wage determination in Pakistan. Household-decisions of time allocation and.....565

waste water. Growth behaviour of some tree species as irrigated by.....353

water stress conditions. Response of maize (*Zea mays* L.) to boron foliar application under.....303

water. Growth behaviour of some tree species as irrigated by waste.....353

wheat (*Triticum aestivum* L.) under drought conditions. Genetic analysis of dry matter partitioning in.....453

wheat (*Triticum aestivum* L.) varieties/lines against loose smut (*Ustilago tritici*) and its management by seed dressing fungicides. Evaluation of.....517

wheat (*Triticum aestivum* L.). Moisture stress and seeding densities effect on phenology, growth and net assimilation rate of.....41

wheat × maize cross - A review. Steps and factors in double haploid wheat plant production through.....267

wheat breeding. Exploitation of heterosis and combining ability effects in.....235

wheat genotypes under rainfed conditions. Genetics of some physico-morphic traits of hexaploid.....463

wheat in Pakistan. Market integration of.....545

wheat plant production through wheat × maize cross - a review. Steps and factors in double haploid.....267

wheat production in Federally Administrated Tribal Area, Pakistan. Cost return analysis in.....417

Wheat production trends in Pakistan- a statistical analysis.....115

wheat production. Determinants of various factors for.....379

wheat under semi-arid environment. Effect of irrigation application on soil and land productivity of .....1

wheat. Seed priming with thiourea improves the performance of late sown.....29

women in agricultural activities and household food security: a case study in Faisalabad district. Role of rural.....585

## Y

yield and fibre traits. Comparative evaluation of some novel vs commercial cotton genotypes against insect pest complex and CLCuV for seed cotton.....323

yield and quality of newly evolved Chinese sweet sorghum genotype grown alone and in association with cowpea. Forage.....619

yield determinants in low intensity zone of Punjab, Pakistan. Economics of chickpea production and empirical investigation of its.....409

yogurt - A review. Antioxidant potential of natural fruit flavored.....85

youth in Punjab, Pakistan. Self-perceived needs of rural.....699

## Z

*Zea mays* L. to boron foliar application under water stress conditions. Response of maize.....303

**JAR 55 (1) = Pages 001-233**

**JAR 55 (2) = Pages 235-452**

**JAR 55 (3) = Pages 453-589**

**JAR 55 (4) = Pages 591-723**